



*Traditional Bronze Hardware for Gates,
Doors, Barns and Carriage Doors*

Coastal Bronze was created to provide a reliable and cost effective source for solid bronze gate hardware in rustic old world designs for coastal areas and rustic settings. Coastal Bronze products fill a gap that has existed for years in hardware lines for these types of products.

Care for Bronze Hardware

Never use spray or liquid furniture polishes to clean your bronze hardware. These polishes may contain oils which could damage the original patina finish.

In climates with higher humidity, coastal areas, or areas with a higher concentration of airborne pollutants, cleaning and waxing may be needed twice a year.

Applying Wax

All bronze darkens with age, however waxing may slow the process of oxidation.

To apply the wax, you need two - one to two inch paint brushes that will be used only for cleaning bronze. *Do not use brushes that have been used for other purposes as chemicals may remain in the bristles and if transferred to the patina finish, may cause permanent discoloration.*

Start by applying a protective circle of tape around the metal ferrules that hold the bristles in the brushes you are using. This will help prevent scratching of the surface when applying the wax and when dusting.

Wipe bronze free of any dust and fingerprints using a clean, dry, cotton cloth. Use one of the brushes to remove dust from small crevices or hard to reach places.

Use “Renaissance” wax, or other “microcrystalline” waxes, because they are inert and will not yellow over time. Apply to the second brush, with three or four, back and forth, sweeping strokes. *Do not dab the brush in the wax.* This could cause an abundance of wax to be applied to the bronze that could actually harm the patina surface. Dab the brush on the lid of the wax can to remove any excess wax. Lightly apply a super thin coat of wax to the surface of the bronze using gentle sweeping motions. Apply more wax to the brush as described, working it down into crevices.

Caution - Using too much wax may remove previous layers of wax. It is very important not to apply too much wax or work it into the surface to vigorously. Cover the entire surface with wax and let it dry according to the directions on the container.

Separate Brushes

Keep your brushes separate in labeled bags, free from contaminants, for future use. Use a clean, dry, cotton cloth to gently rub, in a circular motion, the dried wax from the bronze surface until you achieve the desired sheen. To achieve a dull finish, do not rub the surface after waxing.

To achieve a better protective coating, you may want to re-apply a second coat using the same technique.

Outdoor Bronze Hardware

Outdoor bronzes requires a regular maintenance program, which keeps the product surfaces clean and waxed.

Coastal Bronze sells wax for maintaining the hardware. (See Price List)



Ring Latch



60-100 Ring Turn Drop Bar Latch

Operable from both Sides. Drop Bar 7",
Back Plate 2-3/4" x 4-1/2", Ring Diameter 3-1/2"
Handing Required Right Hand Pictured



60-200

Large Ring on Plate
Back Plate 2-3/4" x 4-1/2"
Ring Diameter 4-3/4"
Can be used with Spring Latch



60-110 Ring Turn on Plate


Back Plate 2-3/4" x 4-1/2"
Ring Diameter 3-1/2"
Can be used with Spring Latch



Slide Bolts



90-100 Surface Slide Bolt
8" x 1-3/4"



90-110 Mortice Plate
for 8" Slide Bolt

90-112 Mortice Plate
for 4" Slide Bolt




90-115 Universal Plate
for 8" Slide Bolt



90-200 Surface Slide Bolt
4" x 1-1/2"



Thumb Latches



40-300
Side View
Tail Piece 3-3/4"



40-400
Pull Handle
8" Long
1-3/4" Wide



40-410
Pull Handle
10" Long
2-1/4" Wide



40-310
Thumb Latch
10" Long
2-1/4" Wide



Drop Bars

40-300
Thumb Latch
8" Long
1-3/4" Wide




50-150 Drop Bar
Bar 6-1/2"
Catch Plate 4" x 3/4"

50-100 Drop Bar with Knob
Bar 7-1/2"
Catch Plate 3-3/4" x 1"

50-125 Drop Bar no Knob
Bar 7-1/2"
Drop bar No Knob



50-500
Jam Catch



Double Thumb Latch

40-330 (Gate 1-1/2" to 2" Thick)

40-335 (Gate 2" to 2-1/2" Thick)

40-340 (Gate 2-1/2" to 3" Thick)

Inside 8" x 1-3/4"

Outside 8-3/4" x 1-3/4"



Non Active Hinges



20-125 Non Active Strap Hinge
25" x 2-1/2"



20-120 Non Active Strap Hinge
20" x 2-1/2"



20-115 Non Active Strap Hinge
15" x 2-1/4"



20-413 Non Active Band Hinge
4" Back Edge
13" x 2" - 1/4" Thick

20-422 Non Active Band Hinge
4" Back Edge
22" x 2" x 1/4" Thick

Also Available

- 20-112 Non Active Strap Hinge 12" x 2"
- 20-108 Non Active Strap Hinge 8" x 2"
- 20-105 Non Active Strap Hinge 5" x 1-1/2"



CANE BOLT



80-100
Cane Bolt - 20"
Back Plates - 2" x 4"





Band Hinge



20-330 Band Hinge
30" x 2" - 1/4" Thick



20-324 Band Hinge
24" x 2" - 1/4" Thick



20-317 Band Hinge
17" x 2" - 1/4" Thick



20-312 - Band Hinge
12" x 2" - 1/4" Thick

One pair (2) Band Hinges will support up to 150 lbs. 3 Band Hinges will support up to 250 lbs.



20-350 - Band Hinge - Small
12" x 1-1/4" - 1/4" Thick

20-260 - Pintle on Plate - Small
1-1/4" x 3-3/4"


One pair (2) Band Hinges will support up to 60 lbs. 3 Band Hinges will support up to 100 lbs.





Band Hinge Pintles

Model 20-250 & Model 20-317 (set)



20-250 Pintle on Plate
6-1/4" x 2"




20-251 Screw in Pintle
3-1/2" x 5"
Threads 3-1/2"

20-251-H Screw in Pintle Heavy
3-1/2" x 7-1/2"
Threads 5-1/2"



20-255 Pintle in Pipe
12" Length, 1" Diameter



Hex Head
Stainless Steel
Wood Lag



Square Head
Rust Resistant
Wood Lag



2-1/2" - 1-1/2"


Choose Either Hex or Square Head
1-1/2" or 2-1/2" Lengths
Lags are for band hinges only



20-252 Jam Pintle
Plate 2-1/2" x 4-3/4" - 1/4" Thick
Right and Left Hand Available



Deadbolts



30-200 Deadbolt

2" x 2-1/2" - WARNING: Will Not Fit on Pre Cut Doors, Minimum Thickness 1-3/4"

30-100 Deadbolt 2-1/2" x 3"



Hinges



30-400 Button Tip

Heavy Duty Hinges 4" x 4" x 1/4" thick.
Hinges are casted and may vary slightly.

30-410 Template Hinge 4" x 4"



30-420 Template Hinge 4-1/2" x 4-1/2"



30-402 Steeple Tip



30-401 Ball Tip



Cabinet Hardware



80-800 Round Knob on back plate
Knob 1" Diameter
Back Plate 1-1/4" Diameter




80-820 Pull Handle
Length 5" Width 1"



80-810 Oval Knob on back plate
Knob 1-3/8" Diameter
Back Plate 1-1/4" Diameter



Door Stud



90-810 - 2"
90-500 - 1"
Door Stud Square



90-860 - 2"
90-560 - 1"
Door Stud Round



Levers



60-300 Lever Turn Drop Bar Latch - Operable from both Sides.

Drop Bar - 7", Back Plate - 2-3/4" x 4-1/2",

Lever - 6" x 1" - 3-1/4" Projection

Handing Required Left Hand Pictured



60-310 Lever on Plate

Back Plate - 2-3/4" x 4-1/2"

Lever - 6" x 1", 3-1/4" Proj.

Can be used with Spring Latch



60-400 Lever on Hourglass Plate

Plate 9-3/4" x 2-3/4"

Lever 6" x 1" - 3-1/4" Proj.

Can be used with Spring Latch



Grill

70-100 Grill

14-1/4" x 14-1/4"

Bar 1/2" x 1/2"


3 Bars by 2 Bars

70-110 Grill

14-1/4" x 14-1/4"

Bar 1/2" x 1/2"

2 Bars by 2 Bars






Gate latches



50-400
Plate 2" x 2"
Drop Bar 4" Long




80-200 Lockable Barrel Bolt
Surface Mount
Bar - 8" Long, 5/8" Diameter
Handle - 4"
Keepers - 1-3/4" x 3/4"



Gate Stop



50-250 Gate Stop
2" x 2", 1-3/4" Tall



50-300 Floor Stop
7-1/2" Tall
Works on gates up to 2" thick
Must be mounted in concrete



50-600 Cannon Ball Gate Closer
3" Diameter
Weighs 5 lbs.
Comes with 5 feet of chain



Pull Handles

40-700 Bar Pull Handle
11-1/2" cc 12-1/2" Over All



40-725 Bar Pull Handle
16-1/2" cc 17-1/2" Over All



Shutter Hardware



70-600 - 1-1/4" Offset
70-610 - 2-1/4" Offset

New York Style
4 1/4" Tall x 6" Wide



70-620 Shutter T-Hinges (middle) - 1-1/4" Offset
70-625 Shutter T-Hinges (middle) - 2-1/4" Offset

70-300
Shutter Slide Bolt
6-1/2" x 1-1/2"
Catch 2" x 1-1/2"



60-105
Shutter Ring
Back Plate 2" x 2-1/2"
Ring Diameter 2"



70-500 Shutter Dog
7" x 2-1/2"
Lag 4-1/2"
Right and left hand available



70-700 - 1-1/4" Offset
70-710 - 2-1/4" Offset
Shutter Strap 1-1/4" Wide x 10" Long



Window Hardware



70-210 Window Stay 10"
70-212 Window Stay 12"
Comes with Two Catches



70-200
Handle 3-1/2"
Back Plate 2-1/2" x 3/4"
Comes with both Hook Plate & Mortice Plate

Coastal Bronze Retail Price List - October 2009

Model #	Description	Price Each
20-105	Non Active Strap Hinge - 5"	\$ 32.75
20-108	Non Active Strap Hinge - 8"	\$ 48.75
20-112	Non Active Strap Hinge - 12"	\$ 61.25
20-115	Non Active Strap Hinge - 15"	\$ 70.50
20-120	Non Active Strap Hinge - 20"	\$ 105.25
20-125	Non Active Strap Hinge - 25"	\$ 132.00
20-250	Pintle on Plate	\$ 89.75
20-251	Screw in Pintle	\$ 58.75
20-252-LH	Jam Pintle LH	\$ 123.25
20-252-RH	Jam Pintle RH	\$ 123.25
20-255	Pintle in Pipe	\$ 176.50
20-260	Pintle on Plate / small	\$ 45.25
20-312	Band Hinge - 12" / pintle not included	\$ 127.25
20-317	Band Hinge - 17" / pintle not included	\$ 163.75
20-324	Band Hinge - 24" / pintle not included	\$ 217.50
20-330	Band Hinge - 30" / pintle not included	\$ 280.25
20-350	Band Hinge - 12" / small / pintle not included	\$ 79.50
20-413	Non Active Band Hinge - 13"	\$ 147.00
20-422	Non Active Band Hinge - 22"	\$ 207.25
30-000-EX	Extension Kit, Max. 3-1/2" Thick	\$ 40.00
30-100	Dead Bolt - 2-1/2" x 3"	\$ 187.25
30-100-S	Dead Bolt - 2-1/2" x 3" / dead latch, self latching	\$ 187.25
30-100-D	Double Cylinder Deadbolt	\$ 227.25
30-200	Deadbolt - 2" x 2-1/2"	\$ 171.25
30-200-S	Deadbolt - 2" x 2-1/2" / dead latch, self latching	\$ 171.25
30-200-D	Double Cylinder Deadbolt	\$ 211.25
30-400	Butt Hinge - 4" x 4" / Button	\$ 69.00
30-401	Butt Hinge - 4" x 4" / Ball Tip	\$ 69.00
30-402	Butt Hinge - 4" x 4" / Steeple Tip	\$ 69.00
30-410	Butt Hinge - 4" x 4" / Template	\$ 39.00
30-420	Butt Hinge - 4-1/2" x 4-1/2" / Template	\$ 45.00
40-300	Thumb Latch - 8" / drop bar not included	\$ 87.00
40-310	Thumb Latch - 10" / drop bar not included	\$ 151.75
40-315	Extension Kit Thumb Piece - 5"	\$ 23.50
40-330	Double Thumb Latch - 1-1/2", 2" / includes drop bar	\$ 282.25
40-335	Double Thumb Latch - 2", 2-1/2" / includes drop bar	\$ 282.25
40-340	Double Thumb Latch - 2-1/2", 3" / includes drop bar	\$ 282.25
40-400	Pull Handle - 8"	\$ 75.50
40-410	Pull Handle - 10"	\$ 151.75
40-700	Bar Pull Handle - 12"	\$ 185.00
40-725	Bar Pull Handle - 17"	\$ 285.50
50-100	Drop Bar with Knob - 7-1/2"	\$ 108.00
50-100-SP	Spacer Plate - 3/8"	\$ 23.50
50-125	Drop Bar No Knob - 7-1/2"	\$ 95.00
50-150	Drop Bar - 6-1/2"	\$ 71.50
50-250	Gate Stop	\$ 49.75
50-300	Floor Gate Stop	\$ 283.50
50-400	Drop Bar Latch	\$ 69.25
50-500	Jam Catch	\$ 16.50
50-600	Cannon Ball Door Closer	\$ 394.75
60-100-SP	Spacer Plate - 3/8"	\$ 54.25
60-100-LH	Ring Turn Drop Bar - 7" / LH	\$ 279.75

www.coastalbronze.com

Coastal Bronze Retail Price List - October 2009

Model #	Description	Price Each
60-100-RH	Ring Turn Drop Bar - 7" / RH	\$ 279.75
60-105	Ring on Plate - 2"	\$ 34.50
60-110	Ring Turn on Plate - 3-1/2"	\$ 128.00
60-200	Ring Turn on Plate - 4-1/2"	\$ 197.50
60-300-LH	Lever Turn Drop Bar - 7" / LH	\$ 339.75
60-300-RH	Lever Turn Drop Bar - 7" / RH	\$ 339.75
60-310	Lever Turn on Plate	\$ 139.25
60-400-LH	Lever Turn on Hourglass Plate / LH	\$ 195.00
60-400-RH	Lever Turn on Hourglass Plate / RH	\$ 195.00
70-100	Grill -14" x 14" / two bars by three bars	\$ 417.00
70-110	Grill - 14" x 14" / two bars by two bars	\$ 395.00
70-200	Window Latch	\$ 52.25
70-210	Window Stay - 10"	\$ 46.25
70-212	Window Stay - 12"	\$ 53.50
70-300	Shutter Bolt - 6-1/2" Throw 2"	\$ 80.25
70-500-LH	Shutter Dog - 7" / LH	\$ 56.25
70-500-RH	Shutter Dog - 7" / RH	\$ 56.25
70-600	New York Style - 1-1/4" pair	\$ 136.50
70-610	New York Style - 2-1/4" pair	\$ 163.25
70-620	Shutter T Hinge - 1-1/4"	\$ 85.50
70-625	Shutter T Hinge - 2-1/4"	\$ 99.50
70-700	Shutter Strap - 1-1/4"	\$ 85.50
70-710	Shutter Strap - 2-1/4"	\$ 99.50
80-100	Cane Bolt - 20"	\$ 279.75
80-200	Barrel Bolt	\$ 164.75
80-800	Round Knob on Plate - 1"	\$ 21.50
80-810	Oval Knob on Plate - 1-1/4"	\$ 21.50
80-820	Pull Handle - 4" cc, 5"	\$ 17.50
90-100	Surface Slide Bolt - 8"	\$ 117.50
90-110	Mortise Plate for Slide Bolt 8"	\$ 14.50
90-112	Mortise Plate for Slide Bolt 4"	\$ 12.50
90-115	Universal Plate for Slide Bolt 8"	\$ 14.50
90-200	Surface Slide Bolt - 4"	\$ 48.25
90-500	Door Stud Square - 1"	\$ 10.75
90-560	Door Stud Round - 1"	\$ 10.75
90-810	Door Stud Square - 2"	\$ 35.50
90-860	Door Stud Round - 2"	\$ 35.50

Model #	Parts & Components	Price Each
10-010	Dummy Spindle	\$ 10.00
10-100	Stainless, Round Head, Slot, 1" long	\$ 0.75
10-150-H	Stainless, Hex, 5/16, 1-1/2" long	\$ 2.75
10-150-S	Square, 5/16, 1-1/2" long	\$ 3.00
10-151-H	Stainless, Hex 5/16, 2-1/2" long	\$ 6.25
10-151-S	Square, 5/16, 2-1/2" long	\$ 4.25
10-155	Stainless, Washer, Large	\$ 0.75
10-234-K	Knob Spring Latch 2-3/4"	\$ 30.00
10-234-L	Lever Spring Latch 2-3/4"	\$ 30.00
10-238-K	Knob Spring Latch 2-3/8"	\$ 30.00
10-238-L	Lever Spring Latch 2-3/8"	\$ 30.00



Conditions and Terms of Sale

FAX ALL ORDERS TO: 1.888.778.7889. All orders must have complete company information along with Purchase Order number, date, shipping instructions, contact name and email address if available. All orders are subject to acceptance by Coastal Bronze.

Minimum Orders

Minimum order is \$50.00 Net. Orders less than \$50.00 Net are subject to a \$5.00 service charge.

Shipping Policy

In stock items will be shipped not later than 48 hours from receipt AND acceptance of Purchase Orders. Orders will be confirmed by fax, email or mail stating shipment date.

Prices

All pricing is List/Retail in US \$ Dollars

Shipping and handling will be added to ALL orders.

Prices are subject to change without notice. No shipment will be made until price change is confirmed to customer.

Special Orders/Rush Orders

Up-charges exist for special orders or rush orders etc and will be specified on request. Acceptance of these up-charges must be on the PO or in writing before order processing begins.

Freight

FOB factory dock. Freight is always added to invoice for carrier of companies choice. If shipment is required via customer's carrier, account number must be supplied in advance and included on PO. Expedited service is at the expense of the customer and will be billed at net cost to Coastal Bronze.

Drop Ship Policy

Coastal Bronze does not drop ship to private residences, only to businesses. Customers requesting drop shipment take full responsibility for the merchandise. All drop shipments will incur a special drop ship fee of \$5.00.

Claims

All shipments become the customers' property when they pass into the hands of the transportation carrier. In the event that merchandise arrives damaged, do not refuse the shipment. Note next to your receiving signature that you have received a damaged box and place a claim with the freight carrier. Hidden damage should be reported to the carrier as soon as discovered. Coastal Bronze will assist in resolving the claim.

Payments

Payment terms are Net 30 days from invoice date, unless otherwise stated.

All payments to be made to:

Coastal Bronze, 26560 Agoura Road, Ste 105A, Calabasas, CA. 91302, 877-227-6603

Coastal Bronze reserves the right to change terms for any customer at any time.

Finance charges of 1.50% per month will be applied to balances past the due date. Continued late payments may result in loss of credit terms and orders being shipped C.O.D.

Coastal Bronze accepts credit card payments through, AMERICAN EXPRESS, VISA, or MASTER CARD. Customer may choose any of the listed credit cards for payment of product and/or shipping charges, but payment must be made in advance of shipment.

Internet Activities

Coastal Bronze does not go to market through INTERNET ONLY COMPANIES. List Pricing for products are on the web site. All showroom dealers locations and phone number where products are on display will also appear on the web site. Showroom dealers who have internet activities may NOT ADVERTISE LESS THAN A LIST PRICE ON THEIR WEB SITE FOR COASTAL BRONZE PRODUCTS. Coastal Bronze will check regularly for compliance with this policy and take appropriate action when non-compliance is found. Our goal is to direct business to displaying showroom dealers.

Limited Warranty

Coastal Bronze warrants all flat goods (non-locking) to be free of defects in material and craftsmanship for five years from the original invoice date.

Coastal Bronze warrants all locking goods, including locks, latches and deadbolts, to be free of defects in material and craftsmanship for 1 year from the original invoice date.

These warranties are extended to the original purchaser and the original installation site. Warranty is non-transferable and proof of purchase is required. In any case, Coastal Bronze is not responsible for removal or installation of the replacement hardware or repaired parts, or for any damage caused by mishandling, improper installation, tampering, abuse or any events outside the control of Coastal Bronze.

This warranty sets forth the exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever. Coastal Bronze shall in no event be liable for consequential or incidental damages of any kind, whether by negligence or otherwise.

Coastal Bronze makes no other warranty, expressed or implied, including implied warranties of merchantability and fitness for a particular purpose with respect to its products except as set for above. No customer, distributor, sales person, showroom, dealer or other entity has the authority to alter these warranties either orally or in writing.

Coastal Bronze adds a patina to all products to simulate aged bronze. Finishes will develop a wear highlight and may change color based on environment. This is not considered a defect, but part of the natural beauty of aged bronze.

Order Discrepancies

All orders are carefully packed and inspected prior to shipping. Coastal Bronze will pay all charges associated with packing or shipping errors. Dealers are required to pay all charges associated with their errors. Mistakes and short orders must be reported within five (5) working days of delivery.

Returned Goods

ALL products to be returned to Coastal Bronze, regardless of reason, must be authorized prior to their return and have a RETURNED GOODS AUTHORIZATION number. All returns must be shipped prepaid, as Collect or COD shipments will be refused and returned to sender. Shipments without an RGA number on the outside of the carton will be refused and returned to sender.

Regular goods are returnable up to 90 days from invoice date if un-opened and in original packaging. Goods must be accompanied with a factory issued RETURN GOODS AUTHORIZATION form and number along with a copy of the invoice.

All returns will be credited at the net value on the invoice less a 25% restocking fee only after inspection. Defective goods will either be repaired or replaced within a reasonable period. Defective goods must be accompanied with a RGA form, RGA number, invoice and freight prepaid. COD Returns will be refused.

Cancellations

Orders may be cancelled prior to shipping. If shipping has taken place, then the customer is liable for shipping charges and a restocking fee of 25%. All orders are shipped within 48 hours of receipt and acceptance by the factory. Customers will be notified of any back orders or delays via e-mail to designated contact.

Specifications and Procedures

Due to the nature of many of the products, in the range, sizes may vary to a small degree. Coastal Bronze reserves the right to discontinue or change any product, design, function, finish or price without prior notice.

Strength of Bronze

Most bronze used in casting hardware today is composed of 85% copper and the rest in various other metals. The strength of steel is two to three times stronger than copper. This is important to note when using bronze to support heavy doors or gates.

A Note about Finishes

Bronze ages gracefully and may change in appearance due to varying environmental conditions. Bronze patina finishes will develop a wear highlight with frequency of use. When bronze is exposed to air it will tarnish quickly and turn brown. Bronze exposed to exterior elements and conditions will turn green. This discoloration is referred to as patina. This patina process starts immediately upon installation. None of these conditions are considered defects, but part of the natural beauty of aged bronze.

16. We strive to match finishes within a given order, but parts ordered at a later date may not match the original pieces. They should however, age to match the original pieces.